



999.00 EUR  
incl. 19% VAT, plus shipping

Support: [Review \[DE\]](#)

### Specifications

<a href="#">CPU</a>	Intel Atom 230 1.6Ghz	<a href="#">RAM</a>	1x DDR-II 400/533
<a href="#">Graphic</a>	Intel GMA 950	<a href="#">Audio</a>	Realtek ALC662
<a href="#">Formfactor</a>	ITX (17x17cm)	<a href="#">Base</a>	Intel ITX

### Interface

<a href="#">USB</a>	6x USB 2.0	<a href="#">LAN</a>	1x 10/100/1000 Mbit
<a href="#">Firewire</a>	--	<a href="#">Parallel</a>	1x
<a href="#">IDE/SATA</a>	1x IDE, 2x SATA	<a href="#">Serial</a>	2x

### Features

<a href="#">TV-Out</a>		<a href="#">Passive cooling</a>	
<a href="#">PCI</a>	■	<a href="#">PCI-Express</a>	
<a href="#">Mini-PCI</a>		<a href="#">PCMCIA</a>	
<a href="#">IDE</a>	■	<a href="#">SATA</a>	■
<a href="#">DVI</a>		<a href="#">CPU changeable</a>	
<a href="#">800x480 Resolution</a>	■	<a href="#">Compact Flash</a>	

### Compatible enclosures



[Casetronic Travla C137](#)



[Casetronic Travla C138 \(not in stock until 15.02.2012\)](#)



[M200 Enclosure](#)



[M200-LCD Enclosure](#)



[M300 Enclosure \(1x PCI\)](#)



[M300-LCD Enclosure \(1x PCI\)](#)  
[\[Delivery time on request\]](#)



[M350 Mini-ITX enclosure](#)



[M4-BOX](#)



[MHero-L-B enclosure \(1x PCI, Slimline ODD\)](#)



[MHero-L-R enclosure \(1x PCI, Slimline ODD\) \\*new\\*](#)



[MHero-S-B enclosure \\*new\\*](#)



[MHero-S-R enclosure \\*new\\*](#)



[Morex Case 3300](#)



[Morex Case 3310](#)



[Morex Case 3777 black](#)



[Morex Case Cubid CB2699 beige](#)



[Morex Case Cubid CB2699 black](#)



[Morex Case Cubid CB3677 black](#)



[Morex Case Cubid CB3688 black](#)



[VoomPC \(perfect for M1-ATX/M2-ATX\) \[Black Edition\]](#)



[VoomPC \(perfect for M1-ATX/M2-ATX\) \[Black Edition\] \(with TFT power connector\)](#)



[VoomPC-2 \(perfect for M1-/M2-ATX\) \[Black Edition\]](#)



[VoomPC-2 \(perfect for M1-/M2-ATX\) \[Black Edition\] \(with TFT power connector\)](#)

The Jetway NC92-230-LF is an alternative mainboard for Intel D945GCLF. Because of its Jetway daughter board connector it can easily get extended with several functions and additional connectors.

CPU	INTEL®Atom N230 CPU
Chipset	- INTEL®945GC + ICH7 chipset - Build-in INTEL®GMA 950 Graphics Core(Share Memory Size:64/128/224MB) - Front Side Bus 533MHz
Memory	1 * 240-pin DIMM Sockets for un-buffered Single Channel DDR2 533/400 SDRAM up to 2 GB
Expansion Slots	- 1x PCI - 1x Jetway Daughter Board (except "Jetway ADD-ON 1x DVI + 1x LVDS" and "Jetway ADD-ON 1x PCMCIA + 1x CF-DISK")

Storage	- 2 * Serial ATA2 3Gb/s connectors - 1 * Floppy connector - 1 * Ultra DMA 100 / 66 IDE connector
Audio	Realtek ALC662 6-Channel HD Audio CODEC w SPIF in and out
Ethernet LAN	Realtek RTL8111C PCI-E Gigabit Ethernet LAN
USB	Embedded 8 * USB 2.0/1.1
Special Features	Intel Diamond Ville Platform - 4 * USB 2.0/1.1 ports - 1 * PS/2 Mouse & 1 * Keyboard connector - 1 * RJ-45 port
Rear Panel I / O	- 3 * Audio I/O ports ( Line-in, mic and line-out ) - 1 * VGA port - 1 * COM port - 2 * USB 2.0/1.1 headers for 4 USB 2.0 ports - NB / Chassis Fan connectors;
Internal I / O	- 1 * 20-pin ATX Power connector - 1 * COM header - 1 * AUDIO_IN header - 1 * Parallel header
BIOS	Award 8MB SPI Flash ROM
Form Factor	Mini ITX Form Factor(17cmx17cm)
<b>Scope of supply</b>	- Jetway NC92-230-LF ITX mainboard - Driver CD - Manual - 1x IDE cable - 1x SATA cable - ATX I/O shield