




999.00 EUR  
incl. 19% VAT, plus shipping

- FSB1333 !
- DVI !
- Dualchannel VGA



Support: [Review \[DE\]](#) | [Review \[EN\]](#)

### Specifications

<a href="#">CPU</a>	Intel Core Duo @ 1333 FSB	<a href="#">RAM</a>	2x DDR-II 667/800
<a href="#">Graphic</a>	Intel GMA X4500	<a href="#">Audio</a>	Realtek ALC888VC 5.1
<a href="#">Formfactor</a>	ITX (17x17cm)	<a href="#">Base</a>	Intel ITX

















### Interface

<a href="#">USB</a>	8x USB2.0	<a href="#">LAN</a>	1x 10/100/1000 Mbit
<a href="#">Firewire</a>	--	<a href="#">Parallel</a>	1x
<a href="#">IDE/SATA</a>	3x SATA-II	<a href="#">Serial</a>	1x

## Features

<a href="#">TV-Out</a>		<a href="#">Passive cooling</a>	
<a href="#">PCI</a>	■	<a href="#">PCI-Express</a>	
<a href="#">Mini-PCI</a>		<a href="#">PCMCIA</a>	
<a href="#">IDE</a>		<a href="#">SATA</a>	■
<a href="#">DVI</a>	■	<a href="#">CPU changeable</a>	■
<a href="#">800x480 Resolution</a>	■	<a href="#">Compact Flash</a>	

## Compatible enclosures

	<a href="#">Casetronic Travla C137</a>		<a href="#">Casetronic Travla C138 (not in stock until 15.02.2012)</a>
	<a href="#">M300 Enclosure (1x PCI)</a>		<a href="#">M300-LCD Enclosure (1x PCI) [Delivery time on request]</a>
	<a href="#">M350 Mini-ITX enclosure</a>		<a href="#">M4-BOX</a>
	<a href="#">MHero-L-B enclosure (1x PCI, Slimline ODD)</a>		<a href="#">MHero-L-R enclosure (1x PCI, Slimline ODD) *new*</a>
	<a href="#">MHero-S-B enclosure *new*</a>		<a href="#">MHero-S-R enclosure *new*</a>
	<a href="#">Morex Case 3777 black</a>		<a href="#">Morex Case Cubid CB2699 beige</a>
	<a href="#">Morex Case Cubid CB2699 black</a>		<a href="#">Morex Case Cubid CB3677 black</a>
	<a href="#">Morex Case Cubid CB3688 black</a>		<a href="#">VoomPC (perfect for M1-ATX/M2-ATX) [Black Edition]</a>
	<a href="#">VoomPC (perfect for M1-ATX/M2-ATX) [Black Edition] (with TFT power connector)</a>		

The Intel® Desktop Board DG41MJ may be small but it offers legacy to premium features such as parallel port, integrated VGA and DVI ports, Intel® HD Video experience1, Intel® High Definition Audio and integrated 10/100/1000 network connection to enrich users' multimedia creation experience.

This mini-ITX form factor board supports Intel® Core™2 Quad processors and Intel® Core™2 Duo processors up to 65W Thermal Design Power (TDP) and 1333 Front Side Bus (FSB).

The Intel® Desktop Board DG41MJ is Microsoft Windows Vista\* Premium WHQL certified.

Name	DG41MJ
Form Factor	Mini-ITX Mainboard
CPU	Intel Core 2 Duo , upto 1333FSB (Socket 775)

Chipset	Intel G41 Express
Graphics	Intel GMA X4500
Memory	2x DDR2 667/800 RAM (8GB max)
Power	24 Pin ATX, P4-connector
Connectors (rear)	- 1x PS/2 - 1x VGA (DSUB-15) - 1x DVI - 4x USB 2.0 - 1x LPT - Audio - 1x LAN 10/100/1000 MBit
SATA	3x SATA-II (RAID)
Audio	6-channels (5.1) Realtek-Audio-Codec ALC888VC
Connectors (internal)	- PCI 1x - Audio - 4x USB 2.0 - 3x SATA - 1x Serial
Included	- DG41MJ Mainboard - I/O ATX rear plate - 2x SATA cable - Quickstart-Guide - Drivers CD

Intel 3 years manufacturer warranty

**Note** : The Original CPU heatsink which comes with Boxed CPUs is too heigh for almost all ITX enclosures. Thats why it does not fit into every enclosure.

With [LowProfile heatsink/fan](#) compatible with :

- M300(-LCD)
- Morex enclosures 2699/3677/3777/3688

For Operating you need a P4 adapter or a PSU with P4 connector