



999.00 EUR
incl. 19% VAT, plus shipping

- DirectX 10 !
- HDMI !
- WLAN !
- FSB 1333!



Support: [Specifications](#) | [Review \[DE\]](#) | [Review \[EN\]](#)

Specifications

CPU	Intel Core Duo @ 1333 FSB	RAM	2x DDR-II 667/800
Graphic	GeForce 9300	Audio	Realtek ALC662 5.1 channel HD
Formfactor	ITX (17x17cm)	Base	Intel ITX

















Interface

USB	12x USB2.0	LAN	1x 10/100/1000 Mbit
Firewire	--	Parallel	--
IDE/SATA	2x SATA-II (RAID), 1x eSATA	Serial	1x

Features

TV-Out		Passive cooling	
PCI	■	PCI-Express	■
Mini-PCI		PCMCIA	
IDE		SATA	■
DVI	■	CPU changeable	■
800x480 Resolution	■	Compact Flash	

Compatible enclosures

	Casetronic Travla C137		Casetronic Travla C138 (not in stock until 15.02.2012)
	M300 Enclosure (1x PCI)		M300-LCD Enclosure (1x PCI) [Delivery time on request]
	M350 Mini-ITX enclosure		M4-BOX
	MHero-L-B enclosure (1x PCI, Slimline ODD)		MHero-L-R enclosure (1x PCI, Slimline ODD) *new*
	MHero-S-B enclosure *new*		MHero-S-R enclosure *new*
	Morex Case 3777 black		Morex Case Cubid CB2699 beige
	Morex Case Cubid CB2699 black		Morex Case Cubid CB3677 black
	Morex Case Cubid CB3688 black		VoomPC (perfect for M1-ATX/M2-ATX) [Black Edition]
	VoomPC (perfect for M1-ATX/M2-ATX) [Black Edition] (with TFT power connector)		

Experience the perfect digital home experience with the ZOTAC GeForce 9300-ITX WiFi. Harnessing the power of NVIDIA's GeForce 9300 graphics processor, the ZOTAC GeForce 9300-ITX WiFi delivers NVIDIA PureVideo HD technology for flawless high-definition Blu-ray playback and superior scaling of standard-definition videos, and NVIDIA CUDA technology for accelerated video processing capabilities.

The ZOTAC GeForce 9300-ITX WiFi pairs the GeForce 9300 graphics processor with Intel socket LGA775 processors – Intel Core 2 Duo, Core 2 Quad, Pentium and Celeron up to 1333 MHz front-side bus – for a high-performance platform that's ready to take on high-definition video playback yet only occupy a 170mm x 170mm mini-ITX footprint. Hybrid SLI, PCI Express 2.0 x16, DDR2, high-definition audio and SATA 3.0Gbps technologies enable the ZOTAC GeForce 9300-ITX WiFi to have expansion potential worthy of a home theater PC.

Name	Zotac GeForce 9300-ITX WiFi (GF9300-G-E)
------	--

Form Factor	Mini-ITX Mainboard
CPU	Intel Core 2 Duo , upto 1333 FSB (Socket 775)
Graphics	NVIDIA GeForce 9300 GPU GPU : 450Mhz overclockable, Shader : 1200Mhz overclockable 16 stream processors DirectX 10
Memory	2x DDR2 667/800 RAM (8GB max) Dual Channel DDR2
Power	24 Pin ATX, P4-connector
Connectors (rear)	- 1x VGA (DSUB-15) - 1x DVI - 1x HDMI - 6x USB 2.0 - 1x eSATA - Audio - 1x LAN 10/100/1000 MBit - SPDIF (optical + coaxial) - WLAN Antenna - 1x PS/2 (Keyboard)
SATA	3x SATA-II (RAID), 1x eSATA
Connectors (internal)	- 1x PCIe 2.0 x16 - Audio - 6x USB 2.0 - 2x SATA - 1x Serial
Included	- GF9300-G-E Mainboard with WLAN addon-card (802.11b/g) - I/O ATX rear plate - 2x SATA cable - Quickstart-Guide - Drivers CD

Note : The Original CPU heatsink which comes with Boxed CPUs is too heigh for almost all ITX enclosures. Thats why it does not fit into every enclosure.

With [LowProfile heatsink/fan](#) compatible with :

- M300(-LCD)
- Morex enclosures 2699/3677/3777/3688

For Operating you need a P4 adapter or a PSU with P4 connector