



999.00 EUR  
incl. 19% VAT, plus shipping

- NVIDIA ION !
- Mini-PCI Express
- HDMI
- Fanless !



Support:  [Review \[DE\]](#) |  [Review \[EN\]](#)

## Specifications

|                            |                       |                       |                   |
|----------------------------|-----------------------|-----------------------|-------------------|
| <a href="#">CPU</a>        | Intel Atom 230 1.6Ghz | <a href="#">RAM</a>   | 2x DDR-II 667/800 |
| <a href="#">Graphic</a>    | NVIDIA ION            | <a href="#">Audio</a> | Realtek ALC662    |
| <a href="#">Formfactor</a> | ITX (17x17cm)         | <a href="#">Base</a>  | Intel ITX         |

### Interface

|                          |                      |                          |                     |
|--------------------------|----------------------|--------------------------|---------------------|
| <a href="#">USB</a>      | 10x USB2.0           | <a href="#">LAN</a>      | 1x 10/100/1000 Mbit |
| <a href="#">Firewire</a> | --                   | <a href="#">Parallel</a> | --                  |
| <a href="#">IDE/SATA</a> | 3x SATA-II, 1x eSATA | <a href="#">Serial</a>   | 1x                  |

### Features

|                                    |   |                                 |   |
|------------------------------------|---|---------------------------------|---|
| <a href="#">TV-Out</a>             | ■ | <a href="#">Passive cooling</a> | ■ |
| <a href="#">PCI</a>                |   | <a href="#">PCI-Express</a>     |   |
| <a href="#">Mini-PCI</a>           | ■ | <a href="#">PCMCIA</a>          |   |
| <a href="#">IDE</a>                |   | <a href="#">SATA</a>            | ■ |
| <a href="#">DVI</a>                | ■ | <a href="#">CPU changeable</a>  |   |
| <a href="#">800x480 Resolution</a> |   | <a href="#">Compact Flash</a>   |   |

### Compatible enclosures

|  |  |   |   |
|--|--|---|---|
|    | <a href="#">Casetronic Travla C137</a>                             |    | <a href="#">Casetronic Travla C138</a>  |
|   | <a href="#">M200 Enclosure</a>                                     |   | <a href="#">M200-LCD Enclosure</a>  |
|  | <a href="#">M300 Enclosure (1x PCI)</a>                            |  | <a href="#">M300-LCD Enclosure (1x PCI)</a>   |
|  | <a href="#">M350 Mini-ITX enclosure</a>                            |  | <a href="#">M4-BOX</a>  |
|  | <a href="#">Morex Case 3300</a>                                    |  | <a href="#">Morex Case 3310</a>   |
|  | <a href="#">Morex Case Cubid CB2699 beige</a>                      |  | <a href="#">Morex Case Cubid CB2699 black</a>   |
|  | <a href="#">Morex Case Cubid CB3677 black</a>                      |  | <a href="#">Morex Case Cubid CB3688 black</a>   |
|  | <a href="#">VoomPC (perfect for M1-ATX/M2-ATX) [Black Edition]</a> |  | <a href="#">VoomPC (perfect for M1-ATX/M2-ATX) [Black Edition] (with TFT power connector)</a> |
|  | <a href="#">VoomPC-2 (perfect for M1-/M2-ATX) [Black Edition]</a>  |  | <a href="#">VoomPC-2 (perfect for M1-/M2-ATX) [Black Edition] (with TFT power connector)</a>  |

Experience fluid and vivid high-definition video playback with the ultra-compact ZOTAC® ION platform. The mini-ITX form factor ZOTAC® ION combines a high-performance NVIDIA® ION graphics processor with a power-efficient Intel® Atom processor for the ultimate eco-friendly platform that has no troubles handling regular web browsing, e-mail, productivity and HD video playback tasks.

NVIDIA® PureVideo HD technology harnesses the power of the ION's™ 16 high-speed stream processors for high-definition Blu-ray

playback capabilities. PureVideo HD technology decodes HD video formats and enhances standard-definition videos with the ION GPU for flawless HD and superior SD video playback.

|                       |   |
|-----------------------|---|
| Model                 | Zotac IONITX-B-E  |
| Type                  | Mini-ITX Mainboard  |
| CPU                   | Intel Atom N230 (Single Core), FSB 533Mhz / NVIDIA MCP7A-ION Chipsatz   |
| Graphics              | NVIDIA ION Graphics GPU<br>GPU : 450Mhz, Shader : 1100Mhz16 stream processors<br>DirectX 10 / Open GL 2.1   |
| RAM                   | 2x DDR2 667/800 RAM (4GB max)<br>Dual Channel DDR2  |
| Power connector       | 20 Pin ATX  |
| Connectors (external) | - 6x USB 2.0<br>- 1x PS/2 (Keyboard)<br>- 1x HDMI<br>- 1x SPDIF out (Coaxial/Optical)<br>- 1x DVI<br>- 1x eSATA<br>- Audio<br>- 1x LAN 10/100/1000 MBit<br>- 1x VGA |
| SATA                  | 3x SATA (RAID 0, 1 und 0+1)   |
| Connectors (internal) | - 1x MiniPCIe<br>- 4x USB 2.0<br>- 3x SATA<br>- 1x Serial   |
| Scope of supply       | - Zotac IONITX-B-E<br>- I/O ATX rear plate<br>- 3x SATA cable<br>- 1x SATA Power cable<br>- Quickstart-Guide<br>- Drivers CD  |
| Software              | - Driver CD   |
| Dimensions            | 17cm x 17cm   |