



429.00 EUR
incl. 19% VAT, plus shipping

- DVI + D-SUB-15
- High brightness !
- Partly metal case !
- 600 nits !

Support: [800x480 Driver \(Windows 7\)](#)

TFT-Display

[Front](#)



[Rear](#)



[Side](#)



Technische Daten

LCD Size	7"	Aspect Ratio	16:9
VGA Resolutions	640x480-1920x1080	Physikal resolution	800x480
Dot resolution	2400x480	Brightness	600
VGA Input	D-SUB 15 + DVI	Video Input	3x PAL/NTSC (RCA)
Audio Input	2x RCA (Stereo)	Touchscreen	USB
Case color	black	Power Input	12-24VDC
Power Consumption	9W	Case size	190 x 132 x 34 mm
Visible area	158 x 85 mm	Certificates	CE, E1
Weight	0	Bauform	On-Dash
Warranty months	24		

Features

Adjustable backlight	■	Auto Power-On	■
Picture In Picture		IR Remote	■

[Headrest mount](#)

[Earphone](#)

[Mirrorable video](#)



[TS pencil](#)

[Adjustable video aspect](#)

[Reverse camera input](#)



New ! With digital DVI input !

The MHD700 delivers an impressive 600 cd/m2 light output – a light level that places it at the very top end of the market in terms of brightness. This light output is achieved with no increase in power consumption over previous models. The model is fully wrapped into a metal enclosure, the temperature range is -35°C to 85°C. The contrast ratio is 650:1.

The new MHD700 TFT-Display is the ideal display- and input-unit for your Laptop, CarPC or HTPC. With the touchscreen functionality you easily can control your PC. The brilliant VGA-display ensures a maximum readability and sharpness.

The device has integrated Stereo-speakers, a rear camera input and the dimmer button in the front will enable perfect viewing pleasure also during the night.

AC-Adapter for home usage and a car cigarette lighter adapter is included as well as the IR-remote-control unit and the extra long (2,5 meters) All-In-One connector cable.

The MHD700 can be used with any PC/MAC with VGA- (or DVI-) and USB port.

Driver-CD included, compatible with :

- Windows 95/98/ME/NT4/2000/XP
- XP Tablet PC Edition
- Windows CE 2.12, 3.0, .net
- Linux RedHat,Mandrake,..
- Macintosh OS 9.x, 10.x
- DOS,..

Spezifications	
Screen size	7" digital
Aspect Ratio	16:9 wide TFT screen
Dot Resolution	2400x480= 1,152,000 dots
Physical Resolution	800x480
Supported Resolutions	640x480-1920x1080
Color configuration	RGB stripe
Power input	DC 11-24V
Power consumption	max. 8W
Video system	3x Video inputs (PAL/NTSC) 1x VGA input 1x DVI input
Dimensions	Display Case : 190x132x34 mm Display : 158 x 85 mm
Video input signal	1.0Vp-p, composite video
Brightness	650 cd/m ²
Contrast	600:1
Vibration	IEC68-2-6
Operating Temperature	-30° bis 85°C
Features	Full function OSD control (englisch)
	Built-in Stereo-speakers
	Earphone-Output (rear side)
	Automatic switching to rear camera (by signal detection on AV3)
	Auto Power On/Off

	Autodimmer
<i>What is included ?</i>	- 7" VGA/DVI Touchscreen TFT with Video/Audio-support
	- Infrared Remote Control
	- Car dash mounting bracket
	- Touchscreen pencil
	- VGA/Video/Audio/Touchscreen-cable (all-in-one !) 2,5 meters length
	- DVI-cable
	- Power Adapter f. EU 230V
	- Cigarette Lighter Adapter
	- Touchscreen Driver-CD
	- Manual

The display is vibration- and shock-tested (BS EN 61373 : 1999).



Displays with [True-800x480-Support](#) achieve a pixel accurate view at 800x480@70Hz