




999.00 EUR
incl. 19% VAT, plus shipping

- FSB1333 !
- DVI !
- Dualchannel VGA
- DDR-3 RAM !



Specifications

CPU	Intel Core Duo @ 1333 FSB	RAM	2x DDR-III 800/1066/1333
Graphic	Intel GMA X4500	Audio	Realtek ALC888S5.1
Formfactor	ITX (17x17cm)	Base	Intel ITX

Interface

USB	8x USB 2.0	LAN	1x 10/100/1000
Firewire	--	Parallel	1x
IDE/SATA	3x SATA-II	Serial	1x

Features

TV-Out		Passive cooling	
PCI	■	PCI-Express	
Mini-PCI		PCMCIA	
IDE		SATA	■
DVI	■	CPU changeable	■
800x480 Resolution	■	Compact Flash	

Compatible enclosures

	Casetronic Travla C137		Casetronic Travla C138
	M300 Enclosure (1x PCI)		M300-LCD Enclosure (1x PCI)
	M350 Mini-ITX enclosure		M4-BOX
	MHero-L-B enclosure (1x PCI, Slimline ODD)		MHero-L-R enclosure (1x PCI, Slimline ODD) *new*
	MHero-S-B enclosure *new*		MHero-S-R enclosure *new*
	Morex Case Cubid CB2699 beige		Morex Case Cubid CB2699 black
	Morex Case Cubid CB3677 black		Morex Case Cubid CB3688 black
	VoomPC (perfect for M1-ATX/M2-ATX) [Black Edition]		VoomPC (perfect for M1-ATX/M2-ATX) [Black Edition] (with TFT power connector)

The Intel DG41N ITX mainboard is the succeeding model of DG41MJ. The main difference is the support for DDR-3 RAM.

Enjoy great multitasking performance in a small form factor board with the Intel® Desktop Board DG41AN. It is designed to run with the latest Intel® Core™ processors in the LGA775 socket. This mini-ITX board comes with 2 DIMMs slots for DDR3 memory, eight back panel USB 2.0 ports, a PCI slot, serial header, parallel port & 6-channel audio. It is the best choice for an entry level mini-ITX board that supports the latest Intel® Core™ processors.

The Intel® Desktop Board DG41AN is Microsoft Windows Vista* Premium & Windows* 7 WHQL certified.

Name	DG41AN
Form Factor	Mini-ITX Mainboard
CPU	Intel Core 2 Duo/Quad , upto 1333FSB (Socket 775)
Chipset	Intel G41 Express
Graphics	Intel GMA X4500
Memory	2x DDR3 800/1066/1333 RAM (4GB max)
Power	24 Pin ATX, P4-connector

Connectors (rear)	<ul style="list-style-type: none"> - 1x PS/2 - 1x VGA (DSUB-15) - 1x DVI - 4x USB 2.0 - 1x LPT - Audio - 1x LAN 10/100/1000 MBit (Realtek 8111E)
SATA	3x SATA-II (RAID)
Audio	6-channels (5.1) Realtek-Audio-Codec ALC888S
Connectors (internal)	<ul style="list-style-type: none"> - PCI 1x - Audio - 4x USB 2.0 - 3x SATA - 1x Serial
Included	<ul style="list-style-type: none"> - DG41AN Mainboard - I/O ATX rear plate - 2x SATA cable - Quickstart-Guide - Drivers CD

Intel 3 years manufacturer warranty

Note : The Original CPU heatsink which comes with Boxed CPUs is too heigh for almost all ITX enclosures. Thats why it does not fit into every enclosure.

With [LowProfile heatsink/fan](#) compatible with :

- M300(-LCD)

- Morex enclosures 2699/3677/3777/3688

For Operating you need a P4 adapter or a PSU with P4 connector