



999.00 EUR  
incl. 19% VAT, plus shipping

- High brightness !
- Slim design !
- Auto-PowerOn !

### TFT-Display

Front



Rear



Side



### Technische Daten

<u>LCD Size</u>	8"	<u>Aspect Ratio</u>	16:9
<u>VGA Resolutions</u>	640x480-1920x1200	<u>Physikal resolution</u>	800x480
<u>Dot resolution</u>	2400x480	<u>Brightness</u>	400
<u>VGA Input</u>	D-SUB 15	<u>Video Input</u>	3x PAL/NTSC (RCA)
<u>Audio Input</u>	2x RCA (Stereo)	<u>Touchscreen</u>	USB
<u>Case color</u>	black	<u>Power Input</u>	12VDC
<u>Power Consumption</u>	9W	<u>Case size</u>	220 x 135 x 29 mm
<u>Visible area</u>	172 x 104 mm	<u>Certificates</u>	CE, E1
<u>Weight</u>	0	<u>Bauform</u>	On-Dash
Warranty months	24		

### Features

<u>Adjustable backlight</u>		<u>Auto Power-On</u>	■
<u>Picture In Picture</u>		<u>IR Remote</u>	■
<u>Headrest mount</u>	■	<u>TS pencil</u>	■
<u>Earphone</u>		<u>Adjustable video aspect</u>	
<u>Mirrorable video</u>		<u>Reverse camera input</u>	■

### New in V3 (26.06.2009):

- Improved internal shielding
- Improved internal design (higher reliability, lower power consumption)

With maximum depth of 29mm the new slim CTF800 will convince you. Its the ideal display- and control unit for your Laptop, CarPC or

HTPC. With help of the touchscreen functionality, the PC can be controlled comfortable with your fingers. The brilliant VGA-display enables a maximum readability and sharpness.

The device has integrated Stereo-speakers and an automatically switched rear camera input. An AC-Home adapter and a cigarette lighter adapter is included with the package, as well as an IR-remote control unit and the extralong (2,5 meters) All-In-One connector cable.

Driver-CD included, compatible with :

- Windows 95/98/ME/NT4/2000/XP
- XP Tablet PC Edition
- Windows CE 2.12, 3.0, .net
- Linux RedHat,Mandrake,..
- Macintosh OS 9.x, 10.x
- DOS,..

<b>Spezifications</b>	
Screen size	8" digital
Aspect Ratio	16:9 wide TFT screen
Dot Resolution	2400x480= 1,152,000 dots
Physical Resolution	800x480
Supported Resolutions	640x480-1920x1200 (also eg. 1366x768)
Color configuration	RGB stripe
Power input	DC 12V (12/24V available for project customers)
Power consumption	max. 9W
Video system	3x Video inputs (PAL/NTSC) 1x VGA input
Dimensions	Display Case : 220x135x29 mm Display : 174 x 105 mm Headrest shroud : 238x153x30 mm
Video input signal	1.0Vp-p, composite video
Contrast	350:1
Viewing angle	Vertically : >110° Horizontally : >120°
Brightness	400 cd/m <sup>2</sup>
Operating Temperature	0° to 70°C
Features	Full function OSD control (englisch) Built-in Stereo-speakers Auto Power On/Off Automatic switching to rear camera (by a 12V cable)
What is included ?	- 8" VGA Touchscreen TFT with Video/Audio-support - Infrared Remote Control - Car dash mounting bracket - Headrest shroud - Touchscreen pencil - VGA/Video/Audio/Touchscreen/Power-cable (all-in-one !) 2,5 meters length - Power Adapter f. EU 230V - Cigarette Lighter Adapter - Touchscreen Driver-CD - Manual



Displays with [True-800x480-Support](#) achieve a pixel accurate view at 800x480@70Hz