


99.95 EUR
incl. 19% VAT, plus shipping

- FSB1333 !
- TPM !
- DVI !
- DirectX 10 !



Specifications

CPU	Intel Core Duo @ 1333 FSB	RAM	2x DDR-II 667/800
Graphic	Intel GMA X4500HD	Audio	Intel HD Audio (4 channels)
Formfactor	ITX (17x17cm)	Base	Intel ITX

















Interface

USB	10x USB2.0	LAN	1x 10/100/1000 Mbit
Firewire	--	Parallel	--
IDE/SATA	4x SATA-II (RAID), 1x eSATA	Serial	1x

Features

TV-Out		Passive cooling	
PCI		PCI-Express	■
Mini-PCI		PCMCIA	
IDE		SATA	■
DVI	■	CPU changeable	■
800x480 Resolution	■	Compact Flash	

Compatible enclosures

	CFI A-7879 Gehäuse (4x 3.5" NAS, 1x 2.5", Hot-Plug, 1x PCI, 200W) *new*		Casetronic Travla C137
	Casetronic Travla C138 (not in stock until 15.02.2012)		M300 Enclosure (1x PCI)
	M300-LCD Enclosure (1x PCI) [Delivery time on request]		M350 Mini-ITX enclosure
	M4-BOX		MHero-L-B enclosure (1x PCI, Slimline ODD)
	MHero-L-R enclosure (1x PCI, Slimline ODD) *new*		MHero-S-B enclosure *new*
	MHero-S-R enclosure *new*		Morex Case 3777 black
	Morex Case Cubid CB2699 beige		Morex Case Cubid CB2699 black
	Morex Case Cubid CB3677 black		Morex Case Cubid CB3688 black
	VoomPC (perfect for M1-ATX/M2-ATX) [Black Edition]		VoomPC (perfect for M1-ATX/M2-ATX) [Black Edition] (with TFT power connector)

This mainboard focuses on security, functionality and performance. Intel uses the CPU technology "2008 Intel vPro" and added feature like „Trusted Platform Module 1.2“ (TPM), „Trusted Execution Technology“ (TXT) and „Active Management Technology 5.0 (ATM)“.

Name	DQ45EK
Form Factor	Mini-ITX Mainboard
CPU	Intel Core 2 Duo , upto 13333FSB (Socket 775)
Chipset	Intel Q45 (ICH10DO)
Graphics	Intel GMA X4500HD
Memory	2x DDR2 667/800 RAM (4GB max)
Power	24 Pin ATX, P4-connector
Connectors (rear)	- 1x DVI-I - 1x DVI-D - 6x USB 2.0 - 1x eSATA - Audio - 1x LAN 10/100/1000 MBit
SATA	4x SATA-II (RAID), 1x eSATA
Audio	Intel High Definition Audio (4 channels)
Connectors (internal)	- PCIe 1x - Audio - 4x USB 2.0 - 4x SATA - Audio - 1x Serial
Included	- DQ45EK Mainboard - I/O ATX rear plate - 2x SATA cable - Quickstart-Guide - Drivers CD, Raid Drivers Floppy disk

Intel 3 years manufacturer warranty

For Operating you need a P4 adapter or a PSU with P4 connector