229.00 EUR
incl. 19% VAT, plus shipping

**Support:** Specifications

Because of its size (211 x 116 x 28mm !) the system is perfect for these applications :
- Gaming
- POS
- Digital Signage
- Kiosk

Or use as attractive office-computer or server.

For a full PC you need in addition :
- SO-DDR-4 RAM
- M.2 SSD
- Cold devices power cord (Cloverleaf)

**Features :**
- CPU: Intel Core i7-6770HQ, 4x 2.60GHz, 6MB Cache, 45W TDP
- RAM: 2x DDR4 SO-DIMM, dual PC4-17000S, max. 32GB (UDIMM)
- 2x M.2/M-Key (PCIe 3.0 x4, M.2 2280/2260/2242)
- Intel Iris Pro Graphics 580 (IGP), HDMI 2.0, Mini DisplayPort 1.2
- 4x USB 3.0, 1x Gb LAN (Intel I219-LM), 1x Klinke, Cardreader (SD/SDHC/SDXC), NFC (Header)
- WLAN 802.11a/b/g/n/ac, Bluetooth 4.2
- Audio: 7.1 (Intel HD Audio)
- Power supply: 120W, external
- VESA-mounting: 75x75, 100x100 (included)
- Dimensions (WxHxD): 216x28x116mm

The Intel® NUC Kit NUC6i7KYK with 6th generation Intel® Core™ i7 processor and Intel® Iris™ Pro Graphics unleashes maximized performance for intense game play. We've created a wicked new look, along with a redesigned chassis that lets you take full advantage of every GHz of the quad-core processor without overheating—making the NUC6i7KYK totally cool. Literally.

| | |
|---|---|
| Processor | 6th generation Intel® Core™ i7-6770HQ processor with Intel® Iris™ Pro graphics (2.6 to 3.5 GHz Turbo, Quad Core, 6 MB Cache, 45W TDP) |
| Memory | Dual channel DDR4-2133+ SODIMMs<br>1.2/1.35V, 32 GB maximum |
| Graphics | Intel® Iris™ Pro Graphics 580<br>1x HDMI* 2.0 (4K 60 Hz)<br>1x Mini DisplayPort* 1.2 (4K 60 Hz)<br>1x DisplayPort* 1.2 via Type-C |
| Audio | Up to 7.1 multichannel digital audio via HDMI or DisplayPort signals<br>3.5mm front headset jack, 3.5mm rear speaker/TOSLINK combo jack |
| Peripheral Connectivity | Thunderbolt™ 3 (40 Gbps) or USB 3.1 Gen2 (10 Gbps) via USB Type C connector<br>2x front USB 3.0 (one charging)<br>2x rear USB 3.0, 2x internal USB 3.0 and 2x internal USB 2.0 via header<br>Consumer infrared port on front panel |
| Storage | 2x M.2 22x42/80 (key M) slots for SATA3 or PCIe* X4 Gen3 NVMe or AHCI SSDs<br>SDXC slot with UHS-I support |
| Networking | Intel® I219-LM 10/100/1000 Mbps Ethernet<br>Intel® Dual Band Wireless-AC 8260 soldered-down, (IEEE 802.11ac 2x2, Bluetooth* 4.2, internal antennas, Intel® Wireless Display 6.0) |
| Enclosure | Metal and plastic with replaceable lid<br>Dimensions: 211 mm x 116 mm x 28 mm |
| Power Adapter | 19V, 120W  AC-DC power adapter |

| | |
|---|---|
| Additional Features | Support for user-replaceable third party lids<br>NFC header<br>OS certs: Microsoft Windows® 10, 8.1, 7 logo'd<br>OS compatibility: compatible with various Linux* distros<br>Kensington* lock with base security<br>3-year warranty<br>Intel® NUC Kit NUC6i7KYK integrated in enclosure: |
| Included in the box | • Additional lid without skull on it<br>• VESA* mount<br>• 19V 120W power supply<br>• Integration guide<br>• Processor badge |